

Safety Survey

Grossmont-Cuyamaca Community College District

Grossmont Cuyamaca

Campus Location:

Date:

Surveyor:

Contact Person:

Maintenance

		Acceptable			Details/Comments	If "No," Abatement		
		Yes	No	N/A		Who	When	Completed
Housekeeping								
a.	Are tools and equipment properly stored?							
b.	Are floors clear and free of trip/slip hazards, is obsolete material regularly removed to prevent excess accumulation, and is Maintenance housekeeping adequate?							
c.	Are sawdust collection systems effective and regularly maintained, and are workshop areas and overhead structures free of hazardous sawdust accumulation?							
Tools and Equipment								
d.	Are tools and equipment in good condition, do they receive regularly documented inspections and are they inspected each day before use?							
e.	Are appropriate guards in place to protect points of operation, belts and pulleys, and nip points?							
f.	Are machines that are designed for a fixed location securely anchored to prevent walking or moving?							
g.	Are fixed machines provided visible safety use zones around them in which only the machine operator is permitted?							
h.	Are machines equipped with visible, signed, and unobstructed emergency shutoff switches?							
i.	Are mechanical ventilation systems such as paint booths, welding stations, etc., regularly inspected and maintained to ensure effective removal of contaminants?							

