**Distribution:** Supervisor/Department Head Employee and Labor Relations

	Safet	y Surv	vey										
	Grossmont-Cuyamaca (	Comm	nunity	Colleg	ge District								
Gros	smont  Cuyamaca												
Cam	pus Location:												
Date	::												
Surv	eyor:												
Cont	act Person:												
Museum													
		Acceptable If "No," Abatement  Vos No N/A Details/Comments When Complete						atement					
		Yes	No	N/A	Details/Comments	Who	When	Completed					
	Housekeeping		.1	ļ									
a.	Is the area tidy and free of fire hazards, such as boxes and piles of paper?												
b.	Are aisle ways and pathways to exits free and clear from												
	obstruction?												
c.	Are floors clear and free of trip/slip hazards?												
	Equipment												
d.	Is there a ladder available for accessing heights?												
e.	Are electrical power cords and extension cords properly placed												
	and free from damage or abuse?												
f.	Are electrical outlet covers and face plates properly in place and												
	free from damage?												
	Personal Protective Equipment and												
	Emergency Preparedness	,		1									
g.	Are disposable gloves available and worn when handling museum												
	objects? Are gloves discarded after each use?												
h.	Is soap and water available for washing hands and skin after												
	handling museum objects?												
i.	Are tops of file cabinets free of heavy items that could cause												
	damage or injury during an earthquake?												
j.	Are tall bookshelves and cabinets secured to the wall or floor to												
	prevent them from tipping over?												
I	Į į	1		1				į.					

Museum - Other					
k. Is the museum otherwise free of obvious hazards or concerns?					
Comments	1	 	1	1	I
<del>-  </del>					