## Distribution: Supervisor/Department Head

	Safe	ty Sur	vey						
	Grossmont-Cuyamaca	Comn	nunity	/ Colle	ge District				
Gros	smont 🛛 Cuyamaca 🗆				_				
	pus Location:								
Date	:								
Surv	eyor:								
Cont	act Person:								
	Ope	eratio	ns						
							"No," Aba	Abatement	
		Yes	No	N/A	Details/Comments	Who	When	Completed	
	Housekeeping								
a.	Are tools and equipment properly stored?								
b.	Are floors clear and free of trip/slip hazards, is obsolete material								
	regularly removed to prevent excess accumulation, and is								
	housekeeping adequate?								
	Tools and Equipment		I	1		1		1	
с.	Are tools and equipment in good condition, do they receive								
	regularly documented inspections and are they inspected each day								
	before use?								
d.	Are appropriate guards in place to protect points of operation,								
	belts and pulleys, and nip points?								
e.	Are machines equipped with visible, signed, and unobstructed emergency shutoff switches?								
	Are stepladders in good condition with solid, unbroken steps,								
	secure hardware and and legible labels?								
	Hazardous Materials and Waste		I	1		1	1		
f.	Are flammable and combustible liquids properly stored in								
	appropriate containers, cabinets, and/or rooms; are containers								
	properly labeled; and is bonding/grounding to prevent static								
	buildup performed when required?								
g.	Are Material Safety Data Sheets (MSDS) on file and readily								
	available for all hazardous materials used in Operations?								

		Acceptable				If "No," Abatement		
		Yes	No	N/A	Details/Comments	Who	When	Completed
	Personal Protective Equipment,							
	Emergency Response and Preparedness		1	1	1	1	1	
h.	Is appropriate personal protective equipment (PPE), such as safety							
	glasses, gloves and aprons, provided and required and stored and							
	maintained in a sanitary condition?							
i.	Are first aid kits provided and readily accessible and are							
	employees trained in first aid response?							
j.	Are approved safety showers and emergency eyewash stations							
	provided and maintained where exposure to highly corrosive or							
	injurious chemicals is possible?							
	<b>Operations - Other</b>		I.	1		1	1	
k.	Are other Operations areas free of obvious hazards or concerns?							
	Comments					•		
								<b></b>
								<b></b>
						ļ		ļ
						ļ		ļ
						ļ		